GSM Commander PRICELIST

	V8 GSM COMMANDERS 2G/4G - KIT Version: Includes Antenna, PSU & USB Cable					
	The only thing you still need is a SIM, and you are ready to go!					
NOTE: V8 Smart Setup Software is available for free download by visiting, www.gsmcommander.com/downloads Category						
*	GC0648-4G-KIT	V8 Standard GSM Commander with full GPRS/LTE – 2G/4G (Retail Kit)	Cat 1	R 5,366,00		
	GC1288-4G-KIT	V8 Professional GSM Commander with full GPRS/LTE – 2G/4G (Retail Kit) – 5 Year Guarantee	Cat 1	R 6,476.00		
	GC0328-4G-KIT	V8 Lite GSM Commander with limited GPRS/LTE – 2G/4G (Retail Kit)	Cat 1	R 4,290.00		
	GC0108-4G-KIT	V8 Micro GSM Commander with limited GPRS/LTE – 2G/4G (Retail Kit)	Cat 2	R 2.999.00		

	V8 GSM COMM	IANDERS 2G/4G – OEM Version: Base unit ONLY, no antenna, PSU & USB cable	Category	
*	GC0648-4G-OEM	V8 Standard GSM Commander with full GPRS/LTE – 2G/4G (Base unit only)	Cat 1	R 5,266.00
	GC1288-4G-OEM	V8 Professional GSM Commander with full GPRS/LTE – 2G/4G (Base unit only) – 5 Year Guarantee	Cat 1	R 6,376.00
	GC0328-4G-OEM	V8 Lite GSM Commander with limited GPRS/LTE – 2G/4G (Base unit only)	Cat 1	R 4,190.00
	GC0108-4G-OEM	V8 Micro GSM Commander with limited GPRS/LTE – 2G/4G (Base unit only)	Cat 2	R 2,699,00

EXPANSION UNITS - Customize your commander base unit by adding more functions! Category				
GM0505	5 x Input, 5 x Output Modbus Expansion unit - not for GC0108	Cat 1	R 955.00	
GM1000	10 x Input Modbus Expansion unit - not for GC0108	Cat 1	R 955.00	
GMA04	4 x Input Analog Modbus Expansion 4-20mA / 0-30v - Only for GC0648 & GC1288	Cat 1	R 2,115.00	
GMT04	4 x Temperature Modbus Expansion (-50°C to +120°C, up to 50m cable lengths) (Works with GT003 probes – see temperature section!) - Only for GC0648 & GC1288	Cat 1	R 2,025.00	

TankMate – Pump & Tank Automation via 433MHz Category			
TM-01	TankMate – Complete Pump & Tank System – includes AAA batteries (Excludes float switches)	Cat 2	R 3,478.00
TMT-01	TankMate – Loose Tank system, used to add onto a Multi-tank solution – includes AAA batteries	Cat 2	R 1,998.00

CHEAT SHEET: No Idea how to choose?? You should check the website at www.gsmcommander.com for proper info, but here is the "low-down" for reference				
GC0648-4G	Our most popular unit, able to perform a host of interesting logical programming tasks. It supports analog expansion, GPRS/LTE functionality and variables (to name a few). Provides 64 behaviour statements, expandable to 22xInputs / 22xOutputs. Ideal for pump control, instrumentation, monitoring of temperature, automation tasks etc.			
GC1288-4G	Our most capable unit, with everything the GC0641 has to offer, plus a 5 YEAR guarantee! It also supports analog expansion, GPRS/LTE functionality and variables. Providing you with 128 behaviour statements, expandable to 32xInputs / 32xOutputs. For the professional that insists on the best and the most capable			
GC0328-4G	Supports basic functions, including limited GPRS/LTE capabilities. Does not support analog expansion or variables. Provides 32 behaviour statements, expandable to 12xInputs / 12xOutputs. Ideal for status monitoring and basic control applications.			
GC0108-4G	FULLY COMPATIBLE with Smartsetup Software! NOW WITH 2 x Inputs, 2 x Outputs. Not expandable. Supports basic functions, including limited GPRS/LTE capabilities. No temperature or Analog inputs. Provides 10 behaviour statements. Perfect for those applications where you need to do one simple thing only, and do it well			

Want to become a dealer?

Contact us with your company information, and we will send you a vendor application form.

Want to Distribute our products outside of South Africa?

We are always looking to expand, and we have openings for EXCLUSIVE Distributors in a bunch of countries. Send us an email and tell us more about yourself and your company. More information is better. If you have not used our products before, your chances are slim. Rather place an order first, and get acquainted with our product, then you will be in a better position to realise how our product can make money in your region..

all pricing are ex VAT

READY-TO-MOUNT BOXES

Why choose a "Ready-To-Mount"?

If you have ever assembled a complete panel with all the bells and whistles, then you know what real pain is. You will have found how expensive all the bits and pieces can be once they are all on the table, and how difficult it can be to make all those bits fit into a reasonably sized box.

From our experience this is too difficult, too expensive and it takes too long.. So we made it easy for you!

Here are 2 options that are ready-to-go, and ultra-compact.

PICO BOX: Ultra-Compact

Mini Ready-To-Mount Kit in IP65 Steel enclosure - 250x200x150mm

Category

RTM-PICO

Mini Commander Box assembled -Excl the Commander

Cat 2

R 3,310.00

Steel box with lazer-cut, zinc plated mounting plates&brackets, includes:

Surge protector + 6 Amp Glass Fuse + enclosed 15W PSU + 1.2AH battery + GA007 antenna + door switch

IMPORTANT: GSM Commander not included here. It must be ordered separately!

Options:

On your order, you can include the following items (elsewhere on this pricelist):

* GSM Commander: GC0328-4G-OEM -OR-GC0648-4G-OEM -OR-GC1288-4G-OEM

* Transformer 30VA 400-220V (Code TRF400K30)

MAKULU BOX: The Ultimate Solution

Full size Ready-To-Mount kit in IP65 Steel enclosure 300 x 400 x 200mm

Category

RTM-MAKULU

Full Commander Kit pre-assembled and tested - Price Excludes the Commander

commander

Cat 2

R 6,499.00

Steel box with lazer-cut, zinc plated mounting plates and brackets, includes:

- * Specialized ultra-rugged 5x5 expansion unit including 30A relay and extensive power filtering (AC and DC)
- * Surge protector, circuit breaker, enclosed 15W PSU, 7AH battery with dedicated charger.
- * Antenna, door switch, additional 250mm DINrail space.

IMPORTANT: GSM Commander not included here. It must be ordered separately!

Options:

On your order, you can include the following items (elsewhere on this pricelist):

- * GSM Commander: GC0328-4G-OEM -OR-GC0648-4G-OEM -OR-GC1288-4G-OEM
- * Transformer 30VA 400V-220V (Code TRF400K30)
- * Extra Device (choose one only):
 - Analog Expansion (Code GMA04)
 - Temperature Expansion (Code GMT04)
 - Cable theft Monitor (Code CTM001)

CABLE THEFT PREVENTION Category		Category	
CTM001	Cable Theft Monitor device. 3Phase (up to 600V). Contact output	Cat 2	R 1,999.00
DCR-03	3Phase DC Reflector (use with CTM)	Cat 2	R 999.00
IVS002	Intelligent Vibration sensor – Adjustable (Relay output)	Cat 2	R 849.00

TEMPERATUR	TEMPERATURE		
GT008	Temp interface module (Interface up to 2 x "GT003"- temperature probes)	Cat 2	R 679.00
GT003	Waterproof 6.3mm Digital Temperature Probe 1m, for use with GMA04 (- 50° C to + 120° C) Can be lengthened via Shielded PVC Cable (0° C > 60° C rating) @ R10 / meter simply add W202 from cable section below + your meters required.	Cat 2	R 209.00
GMT04	4 x Temperature Modbus Expansion (-50°C to +120°C, up to 50m cable lengths) (Works with GT003 probes – see temperature section!) - Only for GC0648 & GC1288	Cat 1	R 2,025.00
GTPT100/61	PT100 temperature probe 1m (R10/m if longer required) + 4-20mA controller (analogue expansion can handle up to 8 of these)	Cat 2	R 2,548.00

POWER SUPPLIES & BATTERIES		Category	
BATT1.2AH	12V SLA Battery 1.2AH - (Supplied with 75cm of battery wire)	Cat 2	R 249.00
BATT 7AH	12V SLA Battery 7AH - (Supplied with 75cm of battery wire)	Cat 2	R 339.00
PSU1405	Mini Switching Power supply (14v, 500mA)	Cat 2	R 205.00
PSU1417	Metal Switching PSU (14V, 1.7A) – Includes GS050	Cat 2	R 379.00
DC-DC	DC-DC Step Up Power Module (Input 3Vdc – 32Vdc / Output of 5Vdc - 35Vdc @ 3A)	Cat 2	R 229.00

POWER-REL	POWER-RELATED (
KWH1	Kwh Meter with pulse output (0.04 – 62 Amp) - 1 Pulse / WH	Cat 2	R 959.00
KWH1PST	KWH1 Meter & PST001 Pulse stretcher (ready to connect to GSM Commander) Usable to measure up to 11KW continuously	Cat 2	R 1,144.00
PST001	Pulse Stretcher module – allows GSM Commander to monitor KWH meters	Cat 2	R 185.00
220VIN	220V AC Input module – allows GSM Commander to directly sense presence of 220VAC	Cat 2	R 185.00
DCF-01	DC filter for GSM Commander power input – ripple filtering	Cat 2	R 240.00
NU-230	Surge Arrestor 230V 2P 5kA	Cat 2	R 230.00
TRF400K30	400-220V transformer (30VA)	Cat 2	R 760.00

SECURITY GOODIES C			,
DVA6001KIT- 4	Drongo VoiceAlert Kit (Base Unit / Indoor Speaker + 4 x DS002 + PSU + Antenna)	Cat 1	R 6,865.22
DVA6001S	Drongo VoiceAlert Base Unit Only	Cat 1	R 2,607.83
DS002	Outdoor Wireless Motion Sensor – 433MHz	Cat 1	R 1,129.57
DIR01	Indoor Repeater	Cat 2	R 1,303.48
IVS002	Intelligent Vibration sensor – Adjustable (Relay output)	Cat 2	R 849.00
IM-140	Plastic magnetic door switch with magnet	Cat 2	R 35.00
KPS-100T	12VDC Electronic Siren 15W 108dB	Cat 2	R 185.00
PIR-02	Pet-Friendly wired PIR Sensor	Cat 2	R 399.00
HAB-100	Habanero 110ml gas dispenser unit with enclosure (can run from 9-15volts) incl 1 x HAB-110	Cat 2	R 1,750.00
HAB-110	110ml Refill for Habanero Pepper gas dispenser	Cat 2	R 349.00

all pricing are excl VAT

SENSORS		Category	
FLT01	Heavy-duty float switch (with 5m cable) – for large reservoirs	Cat 2	R 899.00
FLT02	Miniature float switch – for small tanks	Cat 2	R 528.00
PRES0102	10Bar Pressure sensor with 4-20mA (Loop Powered) output 1/2" thread	Cat 2	R 3,076.00
PRES0104	10Bar Pressure sensor with 4-20mA (Loop Powered) output 1/4" thread	Cat 2	R 3,076.00
PG1300-5	Drop In Pressure Sensor for H2O, 5m Height Tank, with 4-20mA Loop Powered Output	Cat 2	R 2,899.00
PG1300-10	Drop In Pressure Sensor for H2O, 10m Height Tank, with 4-20mA Loop Powered Output	Cat 2	R 3,749.00
CT-*	Current Transducer, 32m, with 4-20mA Output (ONLY for AC, available in * 50, 100, 150, 200Amp)	Cat 2	R 1,699.00

CABLES		Category	1
GS010	USB Cable (Type A to mini B)	Cat 2	R 69.00
GS011	USB Extension Cable 5m (Type A Male to Type A Female)	Cat 2	R 189.00
GS020	Spare Expansion ribbon cable 40cm	Cat 2	R 42.00
GS030	Serial (RS232) communications cable 1m – Female	Cat 2	R 109.00
GS031	Serial (RS232) communications cable 1m – Male	Cat 2	R 109.00
GS040	Serial (RS232) to USB converter adapter	Cat 2	R 546.00
GS050	DC Jack Cable 1m (for use with other PSU's)	Cat 2	R 50.00
GS060	Right Angle USB Cable (Type A to RA mini B) – Get to that USB even in tight spots!	Cat 2	R 109.00

ANTENNAS		Category	
GA002	Magnetic base antenna 3dBi 850/900/1800/1900/2100HMHz (Cable length 1m)	Cat 2	R 279.00
GA009	Magnetic base antenna 5dBi 850/900/1800/1900/2100HMHz (Cable length 1m)	Cat 2	R 429.00
GA007	Outdoor antenna 2dBi knobby screw mount 850/900/1800/1900/2100MHz (Cable length 2m)	Cat 2	R 309.00
GA004	Outdoor antenna 5dBi screw mount 850/900/1800/1900/2100MHz (Cable length 3.5m)	Cat 2	R 759.00
GA008	Outdoor Yagi antenna 12dBi 850/900/1800/1900/2100MHz (Cable length 10m)	Cat 2	R 2,689.00
GA433	Magnetic base RF antenna 2dBi 433Mhz (Cable length 1m) - For use with DVA6001 & GXS1000	Cat 2	R 198.00

OTHER STUFF	OTHER STUFF Category		
DIN1	Dinrail mounting clips for GSM Commander & Expansions	Cat 2	R 109.00
SBOX2025	200 x 250 x 150mm Powder coated mildsteel IP65 enclosure with base plate	Cat 2	R 1,098.00
SBOX3040	300 x 400 x 200mm Powder coated mildsteel IP65 enclosure with base plate	Cat 2	R 1,429.00
W201	Black 3Core Cabtire cable 0.5mm per meter (for lengthening of probes leads etc)	Cat 2	R 9.00
W202	Grey 4Core Shielded cable 0.22mm per meter	Cat 2	R 10.00

all pricing are excl VAT

AIRDRIVE SUBSCRIPTIONS Cloud Platform - Interface using GPRS/LTE data		Category	
AD011	AirDrive Viewer. Status viewing only. No historical logs, no events, no downloads.	Cat 3	Free
AD012	AirDrive Historian (Price per year per device) Status viewing, Logging, History, Events* (no Remote config or Output Control) Fields marked with a * are ONLY compatible with a GC0641/3G or GC1281/3G	Cat 3	R 360 pa
AD013	AirDrive Editor (Price per year per device) Status viewing, Logging, History, Events*, CSV Download, Remote Config*, Remote Control* Fields marked with a * are ONLY compatible with a GC0641/3G or GC1281/3G	Cat 3	R 600 pa

HARDWARE UPGRADES

Contact us to see if it is possible to Upgrade your device